

# SAFETY DATA SHEET

EMERGENCY CONTACT Mark V Lab 860-653-7201

P.O. Box 540 East Granby CT 06026

**EMERGENCY Phone number 800-424-9300**

**MARK V LAB**

Fax: 860-653-4087 revision date 1/1/2018 [www.markvlab.com](http://www.markvlab.com)

## 1. IDENTIFICATION OF THE SUBSTANCE

**Product Name:** TR-1 LUCITE MOUNTING POWDER

## 2. HAZARDS IDENTIFICATION

**Hazard classification** Combustible dust  
**Label elements**  
**Signal word** Warning  
**Hazard statement(s)** May form combustible dust concentrations in air.  
**Other hazards** Low toxicity under normal conditions of handling and use.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Chemical identity of the substance** Poly(Methyl methacrylate)  
**CAS No.** 9011-14-7

## 4. FIRST AID MEASURES

### Description of first aid measures

**Inhalation** IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
**Skin Contact** IF ON SKIN: Wash with plenty of water/... If skin irritation or rash occurs: Get medical attention.  
**Eye Contact** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
**Ingestion** IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Obtain medical attention if ill effects occur.

Most important symptoms and effects, both acute and delayed Not applicable.

Indication of any immediate medical attention and special treatment needed None necessary.

## 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media** Water spray, foam, dry powder or CO2.  
**Unsuitable Extinguishing Media** Do not use water jet.

# SAFETY DATA SHEET

EMERGENCY CONTACT Mark V Lab 860-653-7201

P.O. Box 540 East Granby CT 06026

EMERGENCY Phone number 800-424-9300

**MARK V LAB**

Fax: 860-653-4087 revision date 1/1/2018 [www.markvlab.com](http://www.markvlab.com)

**Special hazards arising from the substance or mixture** Combustible but not readily ignited. By analogy with similar materials, the product may decompose if heated to temperatures above 392°F (200°C). Combustion or thermal decomposition will evolve toxic, irritant and flammable vapors.

**Special protective equipment and precautions for fire fighters** and A self-contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

## 6. ACCIDENTAL RELEASE MEASURES

### Methods and materials for containment and cleaning up

Caution - spillages may be slippery. Sweep up and shovel into waste drums or plastic bags. Wash the spillage area with water

## 7. HANDLING AND STORAGE

### HANDLING

Product as supplied: Avoid contact with eyes. Avoid prolonged skin contact. Unlikely to represent a dust hazard under normal handling conditions.

### Process Hazards

The product may be suitable for a wide range of industrial applications and therefore it is impossible to make detailed recommendations regarding all process hazards. If the product is to be used in applications for which the hazards are not fully understood it is recommended to consult the supplier before use.

### STORAGE

Acrylic polymers are supplied in either bags or bulk containers. Keep containers in a clean, cool and dry area away from heat sources. Natural ventilation is adequate.

**Storage temperature (°C):**

Ambient.

**Incompatible materials:**

None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Substance	CAS No.	OSHA PEL TWA	ACGIH TWA	ACGIH STEL	Company Std. TWA	Company Std. STEL
Particulates (Total dust) (Respirable dust)		15 mg/m <sup>3</sup> 5 mg/m <sup>3</sup>	Not established.			
The following values apply to substances which may be evolved during thermal processing.						
Methyl methacrylate	80-62-6	100 ppm 410 mg/m <sup>3</sup>	50 ppm (205 mg/m <sup>3</sup> )	100 ppm (410 mg/m <sup>3</sup> ) (SEN;A4)	50 ppm	100 ppm

# SAFETY DATA SHEET

EMERGENCY CONTACT Mark V Lab 860-653-7201

P.O. Box 540 East Granby CT 06026

EMERGENCY Phone number 800-424-9300

**MARK V LAB**

Fax: 860-653-4087 **revision date 1/1/2018** [www.markvlab.com](http://www.markvlab.com)

Appropriate engineering controls

Do not eat, drink or smoke at the work place. Provide adequate ventilation, including appropriate local extraction, to ensure that the occupational exposure limit is not exceeded. Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Individual protection measures, such as personal protective equipment (PPE)



Wear eye/face protection. Not  
respirator with filter type P may  
appropriate. In the unlikely

/ goggles

/ full face shield event of formation of particularly



normally  
be  
Safety

Skin protection



A suitable dust mask or dust  
required.  
spectacles

high levels of dust a self  
contained breathing apparatus may be appropriate.

Respiratory Protection

Eye/face protection

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	Beads.
Color	White.
Odor	Typically methacrylate.
pH (Value)	Not applicable.
Melting Range (°C)	150 - 230
Boiling Point (°C)	Not applicable.
Flash Point (°C)	Not available.
Relative Evaporation Rate (Ether = 1)	Not applicable.
Flammable Limits	Not applicable.
Vapour pressure (Pascal)	Not applicable.
Vapor Density (Air=1)	Not applicable.
Specific Gravity	1.18
Solubility (Water)	Negligible.
Solubility (Other)	Not available.
Partition Coefficient (n-Octanol/water)	Not applicable.
Viscosity (mPa. s)	Not available.
Explosive Properties	Not applicable.
Oxidizing Properties	Not applicable.

## 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	Non-reactive material.
<b>Chemical stability</b>	Stable under normal conditions.
<b>Hazardous Reactions</b>	None known.
<b>Conditions to avoid</b>	Keep away from heat.
<b>Materials to avoid</b>	None known.

# SAFETY DATA SHEET

EMERGENCY CONTACT Mark V Lab 860-653-7201

P.O. Box 540 East Granby CT 06026

**EMERGENCY Phone number 800-424-9300**

**MARK V LAB**

Fax: 860-653-4087 revision date 1/1/2018 [www.markvlab.com](http://www.markvlab.com)

**Hazardous Decomposition Product(s)** Methyl methacrylate, Carbon dioxide, Carbon monoxide.

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

**Ingestion**

Low oral toxicity.

**Inhalation**

Unlikely to be hazardous by inhalation.

**Skin Contact**

Unlikely to cause skin irritation.

Contains greater than 0.1% residual (Methyl methacrylate). During normal handling this will not constitute a hazard. If the polymer matrix is destroyed e.g. when the product is dissolved in organic solvent, chemical residues will be released from the polymer matrix. Under these conditions, they may produce an allergic reaction in persons already sensitized.

**Eye Contact**

Dust may cause irritation.

# SAFETY DATA SHEET

EMERGENCY CONTACT Mark V Lab 860-653-7201  
P.O. Box 540 East Granby CT 06026  
**EMERGENCY** Phone number 800-424-9300  
Fax: 860-653-4087 **revision date 1/1/2018** [www.markvlab.com](http://www.markvlab.com)

**MARK V LAB**

## 12. ECOLOGICAL INFORMATION

<b>Ecotoxicity</b>	The product is predicted to have low toxicity to aquatic organisms.
<b>Persistence and degradability</b>	The product is non-biodegradable in soil. There is no evidence of degradation in soil and water.
<b>Bioaccumulative potential</b>	The product has low potential for bioaccumulation.
<b>Mobility</b>	The product is predicted to have low mobility in soil.
<b>Other adverse effects</b>	None known.

## 13. DISPOSAL CONSIDERATIONS

The waste is considered to be non-hazardous. Clean scrap may be reprocessed. Incineration may be used to recover energy value. May be disposed of by landfill in accordance with local regulations. Certain packages are returnable. Please consult your local office for further details. Ensure that all packaging is disposed of safely.

## 14. TRANSPORT INFORMATION

### Not Classified as Dangerous for Transport.

<b>UN No.</b>	Not applicable.
<b>Proper Shipping Name</b>	Not applicable.
<b>Class</b>	Not applicable.
<b>Packing group</b>	Not applicable.
<b>Environmental hazards</b>	Not applicable.
<b>Special precautions for user</b>	Not applicable.

Transport in bulk according to Annex II of Not applicable.  
MARPOL 73/78 and the IBC Code

# SAFETY DATA SHEET

EMERGENCY CONTACT Mark V Lab 860-653-7201

P.O. Box 540 East Granby CT 06026

Phone number 800-424-9300

**MARK V LAB**

Fax: 860-653-4087 revision date 1/1/2018 [www.markvlab.com](http://www.markvlab.com)

## 15. REGULATORY INFORMATION

### US Federal Regulations

SARA 302 - Extremely Hazardous

Substances

Not applicable.

SARA 313 - Toxic Chemicals

None.

### US State Regulations

California **Canadian**

#### Regulations

SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM None known. SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER None known.

WHMIS Classification

Not classified.

NFPA Rating

Health 0 Flammability 1

Reactivity 0

NPCA-HMIS Rating

Health 0

Flammability 1

Reactivity 0

## 16. OTHER INFORMATION

### Inventory Status

European Union

To the best of our knowledge all chemicals in this product comply with REACH regulations.

United States (TSCA)

Listed in TSCA

Canada (DSL/NDSL)

Listed in DSL

Japan (ENCS)

Listed in ENCS

Philippines (PICCS)

Listed in PICCS

Australia (AICS)

Listed in AICS

South Korea (KECI)

Listed in KECI

China (IECSC)

Listed in IECSC

Compliance with other Regulatory Chemical Inventories cannot be assumed, please contact supplier for further information.

#### LEGEND

Note: Not all of the following are necessarily contained in this Safety Data Sheet: LTEL: Long Term Exposure Limit

STEL: Short Term Exposure Limit TWA: Time Weighted Average PEL: Permissible Exposure Levels

OSHA: Occupational Safety and Health Administration SARA: Superfund Amendments and Reauthorization Act WHMIS: Worker Hazardous Materials Information System